PTO-1449 (Modified)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

IFORMATION DISCLOSURE STATEMENT
BY APPLICANT

ATTY. DOCKET NO.	
03659.8311	•

SERIAL NUMBER 10/043,289

APPLICANT

Mark J. Cooper

FILING DATE January 14, 2002 GROUP ART UNIT

U.S. PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS	FILING DATE
L.	5,624,820	4/1997	COOPER			

FOREIGN PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB CLASS	TRANSLATION YES/NO
0	63/23431	11/25/93	WIPO	-		
19	96/40911	12/19/96	WIPO			
u	95/13377	5/18/95	WIPO			

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) Diethard Mattanovich et al. "Optimization of Recombinant Gene Expression in Escherichia coli" Annals New York Academy of Science Pages 182-189 Randal J. Kaufman "Mammalian recombinant proteins: structure, function and immunological analysis" Current Opinion in Biotechnology 1990, 1: 141-150 Edward R. LaVallie and J.M. McCoy "Gene fusion expression systems in Escherichia coli" Current Opin. in Biotechnology 1995, Sheldon W. May and R.D. Schwartz "Biochemical engineering" Current Opin. Biotechnology 1994, 5:163-164 Ronald A. Taticek et al. "Large-scale insect and plant cell culture" Current Opinion in Biotechnology 1994 5:165-174 Sou Chi B Yan et al. "Post-translational modification of proteins: some problems left to solve" TIBS 14, 1989 pages 264-268 Kia-Ki Han and Martinage "Post-Translational Chemical Modification(s) of Proteins" J. Biochem. Vol 24, No. 1, pages 19-28, 1992 J. Alford et al. "The Development of Eli Lilly and Company's Advanced Bioreactors" Annals New York Academy of Sciences, pages 326-335 Florian M. Wurm et al. "Gene Transfer and Amplification in CHO Cells" Annals New York Academy of Science, pages 70-76 Ulrich H. Weidle et al. "Establishment of a temperature-inducible cell line for human plasminogen activator (tissue-type) by transfection of monkey cells with expression constructs" Gene, 59 1987 pages 231-239 Rober D. Gerard and Y. Gluzman "New Host Cell System for Regulated Simian Virus 40 DNA Replication" Molecular Cell. Biology, Vol. 5, No.11, November 1985, pages 3231-3240 Arthur Humphrey "Engineering Challenges in the Application of rDNA Technology: Yesterday, Today, and Tomorrow" Annals New York Academy of Sciences, Pages 1-11 Thomas Lenhard et al. "A new set of versatile vectors for the heterologous expression of foreign genes using the baculovirus system" Gene, 169 (1996) pages 187-190 S.-O. Enfors, TIBTECH September 1992 (Vol. 10) "Control of in vivo proteolysis in the production of recombinant proteins" pages

EXAMINER		121
	And-	K1

DATE CONSIDERED

2/20/04

EXAMINER: Initial citation if reference was considered. Draw line through citation if not in conformance to MPEP 609 and not considered. Include copy of this form with next communication to applicant.

PTO-1449 (Modified)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE STATEMENT

BY APPLICANT

ATTY.	DOCKET	NO.
	03659.	8311

SERIAL NUMBER 10/043,289

APPLICANT

Mark J. Copper

FILING DATE

January 14, 2002

GROUP ART UNIT TBD

U.S. PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS	FILING DATE
		-				

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) Paul Hippenmeyer and M. Highkin "High Level, Stable Production of Recombinant Proteins in Mammalian Cell Culture using the Herpesvirus VP16 Transactivator" Bio/Technology, Vol 11, September 1993, pages 1037-1041 Uhlen et al. "Fusion proteins in biotechnology" Current Opinion in Biotechnology 1992, 3:363-369 Franz-Werner Kluxen and Lubbert. "Maximal Expression of Recombinant cDNAs in COS Cells for Use in Expression Cloning," Analytical Biochemistry 208, 352-356 (1993) Jorg Hamann et al. "Expression Cloning of the Early Activation Antigen CD69, a Type II Integral Membrane Protein with a C-Type Lectin Domain" Journal of Immunology, Vol. 150, 4920-4927, No. 11, June 1, 1993 Diane Hollenbaugh et al. "The human T cell antigen gp39, a member of the TNF gene family, is a ligand for the CD40 receptor: expression of a soluble form of gp39 with B cell co-stimulatory activity" The EMBO Journal, Vol 11, No. 12, pages 4313-4321 1992 Jacques P. Delort and M.R. Capecchi "TAXI/UAS: A Molecular Switch to Control Expression of Genes In Vivo" Human Gene Therapy 7:809-820 (May 1, 1996) Nicholas Miller and J. Whelan "Progress in Transcriptionally Targeted and Regulatable Vectors for Genetic Therapy" Human Gene Therapy 803-815 May 1, 1997 Victor M. Rivera et al. "A humanized system for pharmacologic control of gene expression" Nature Medicine, Vol. 2, No. 9, September 1996 pages 1028-1032 Penny Shockett and D. Schartz "Switching on gene expression" Nature Biotechnology, Vol 15, March 1997, pages 219-221 Sharon Boast et al. "High efficiency of replication and expression of foreign genes in SV40-tansformed human fibroblasts" The EMBO Journal, Vol. 2, No. 12, pp 2327-2331, 1983 Yakov Gluzman "SV40-Transformed Simian Cells Support the Replication of Early SV40 Mutants" Cell, Vol. 23, 175-182, January Pamela Mellon et al. 'Identification of DNA Sequences Required for Transcription of the Human al-Globin Gene in a New SV40 Host-Vector System", Cell, Vol. 27, 279-288, December 1981 David B. Archer et al. "Strategies for improving heterologous protein production from filamentous fungi" Antonie van Leeuwenhoek 65: 245-250, 1994 Stuart A. Ali et al. "High-yield production of functionally active human serum transferrin using a baculovirus expression system, and its structural characterization" Biochem. J. (1996) 319, 191-195

EXAMINER	K	KL	DATE CONSIDERED	2/20/04

EXAMINER: Initial citation if reference was considered. Draw line through citation if not in conformance to MPEP 609 and not considered. Include copy of this form with next communication to applicant.

							Sheet 3 of _
		PTO-1449 (Modified)		ATTY. DOCKET NO. 03659.83112	SERIAL	NUMBER 10/043,289)
PE	PATEN	EPARTMENT OF COM T AND TRADEMARK TION DISCLOSURE ST	OFFICE	APPLICANT Mark J. Copper			
6 2002	C7 6	BY APPLICANT		FILING DATE January 14, 2002	GROUP A	ART UNIT TBD	
ARM			U.	S. PATENT DOCUMENTS			
EX/	AMINER IITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS	FILING DATE
<u></u>			FORI	EIGN PATENT DOCUMENTS			
1	MINER ITIAL	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB CLASS	TRANSLATION YES/NO
		WO 93/23431	11/1993	РСТ			
		OTHER I	OCUMENTS (I	Including Author, Title, Date, Pertinent	Pages, Etc.)		
1		L. Lucas et al. "High-leve Nucleic Acids Research		eocmbinant proteins in CHO cells using a lo. 9, pages 1774-1779	dicistronic DH	FR intron exp	orcssion
	Ridder 273-27		I system for rapid	production and quantification of cFv::lg(Ck antibody frag	ments" Gene	166 (1995)
		d Gossen and H. Bujard ad. Sci. Vol. 89, page 55		gene expression in mammalian cells by to	etracycline-resp	onsive promo	oters" Proc.
	Geoff T. Yarranton "Mammalian recombinant proteins: vectors and expression systems" Current Opinion in Biotechnology 1990, 1:133-140						
	Elisabetta Vegeto et al. "The Mechanism of RU486 Antagonism is Dependent on the Conformation of the Carboxy-Terminal Tail of the Human Progesterone Receptor" Cell, Vol 69, 703-713, May 15, 1992						
	Sabine Geiss et al. "Eukaryotic Expression Systems: A Comparison" Protein Expression and Purification, Vol. 8, 271-283 (1996)						
	Manfred Gossen et al. "Transcriptional Activation by Tetracyclines in Mammalian Cells" Science, Vol. 268, 1766-1769 June 23, 1995						
Cooper et al., Safety-modified episomal vectors for human gene therapy, PNAS 94, 6450-55 (June 10, 1997)							
_	Sambrook et al., Molecular Cloning: A laboratory Manual, 1989, p. 16.3-16.73, Cold Spring Harbor Laboratory Press						
$\vdash \vdash$	Kalderon et al., Virology <u>139</u> , p. 109-137, (1984)						
1 /	Cooper 1993	Cooper et al., "Efficient Episomal Expression Vector for Human Transitional Carcinoma Cells," Human Gene Therapy, 4:557-566,					

EXAMINER LL	DATE CONSIDERED	2/20/04	
			
EVAMPHED, Initial situation if reference upg considered. Des	w line through citation if not in a	onformance to MDED 600 and not considered	

Orkin et al., Report and Recommendations of the Panel to Assess the NIH Investment in Research on Gene Therapy, Dec. 7, 1995,

Peden et al., "Mutants with Changes Within or Near a Hydrophobic Region of Simian Virus 40 Large Tumor Antigen Are Defective for Binding Cellular Protein p53" Virology, 168:13-21 (1989)

pp. 1-41

Include copy of this form with next communication to applicant.

PTO-1449 (Modified)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

OF FORMATION DISCLOSURE STATEMENT
BY APPLICANT

ATTY.	DOCKET NO.
	03659.83112

SERIAL NUMBER 10/043,289

APPLICANT

Mark J. Cooper

FILING DATE January 14, 2002 GROUP ART UNIT

U.S. PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS	FILING DATE

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) Hambor, et al., "Use of an Epstein-Barr Virus Episomal Replicon for Anti-Sense RNA-Mediated Gene Inhibition in a Human Cytotoxic T-Cell Clone", 1988, Proc. Natl. Acad. Sci., U.S.A., 85:4010-4014 Subramanian, et al., "Nucleotide Sequence of a Fragment of SV40 DNA That Contains the Origin of DNA Replication and Specifies the 5' Ends of 'Early' and 'Late' Viral RNA", 1977, J. Biol. Chem., 252:355-367 Lin, et al., "Stable T-p53 Complexes Are Not Required for Replication of Simian Virus 40 in Culture or for Enhanced Phosphorylation of T Antigen and p53", 1991, J. Virol., 65:2066-2072 Lin, et al., "The Ability of Large T Antigen To Complex with p53 Is Necessary for the Increased Life Span and Partial Transformation of Human Cells by Simian Virus 40", 1991, J. Virol., 65:6447-6453 Deyerle, et al., "Analysis of Origin of DNA Replication of Human Papovavirus BK", 1989, J. Virol., 63:356-365 Reddy, et al., "The Genome of Simian Virus 40", 1978, Science, 200:494-502 Felgner, et al., "Lipofection: A Highly Efficient, Lipid-Mediated DNA-Transfection Procedure", 1987, Proc. Natl. Acad. Sci., U.S.A., 84:7413-7417 Fiers, et al., "Complete Nucleotide Sequence of SV40 DNA", 1978, Nature, 273:113-120 Van Heuverswyn, et al., "Nucleotide Sequence of the Hind-C Fragment of Simian Virus 40 DNA", 1979, Eur. J. Biochem., <u>100</u>:51-60 Roberts, et al., "Negative Control of DNA Replication in Composite SV40-Bovine Papilloma Virus Plasmids", 1986, Cell, Ryder, et al., "Binding of SV40 A Protein to the BK Virus Origin of DNA Replication", 1983, Virology, 129:239-245 Hanahan, D., "Transgenic Mice as Probes into Complex Systems", 1989, Science, 246:1265-1275 Michalovitz, et al., "Activated Ha-ras Can Cooperate with Defective Simian Virus 40 in the Transformation of Nonestablished Rat Embryo Fibroblasts", 1987, J. Virol., 61:2648-2654 Shin, et al., "Tumorigenicity of Virus-Transformed Cells in Nude Mice is Correlated Specifically with Anchorage Independent Growth In Vitro", 1975, Proc. Natl. Acad. Sci., U.S.A., 72:4435-4439

EXAMINER LL	DATE CONSIDERED 2/20/M					
EXAMINER: Initial citation if reference was considered. Draw line through citation if not in conformance to MPEP 609 and not considered. Include copy of this form with next communication to applicant.						

Sheet 5 of 7

70-1449 (Modified)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

ATTY. DOCKET NO.	SERIAL NUMBER
03659.83112	10/043,289
APPLICANT Mark J. Cooper	
FILING DATE	CROUP ART UNIT
January 14, 2002	TBD

U.S. PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS	FILING DATE

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) Christian, et al., "Characterization of Human Uroepithelial Cells Immortalized In Vitro by Simian Virus 401", 1987, Cancer Res., 47:6066-6073 Sarver, et al., "Bovine Papilloma Virus Deoxyribonucleic Acid: a Novel Eucaryotic Cloning Vector", 1981, Mol. & Cell. Biol., 1:486-496 Tsui, et al., "Persistence of Freely Replicating SV40 Recombinant Molecules Carrying a Selectable Marker in Permissive Simian Cells", 1982, Cell, 30:499-508 Belt, et al., "Construction and Properties of an Epstein-Barr-Virus-Derived cDNA Expression Vector for Human Cells", 1989, Gene, 84:407-417 Yates, et al., "Stable replication of plasmids derived from Epstein-Barr Virus in Various Mammalian Cells", 1985, Nature, 313:812-815 Cherington, et al., "Separation of Simian Virus 40 Large-T-Antigen-Transforming and Origin-Binding Functions from the Ability to Block Differentiation", 1988, Mol. & Cell. Biol., 8:1380-1384 Chittenden, et al., "Functional Limits of oriP, the Epstein-Barr Virus Plasmid Origin of Replication", 1989, J. Virol., 63:3016-3025 Milanesi, et al., "BK Virus-Plasmid Expression Vector That Persists Episomally in Human Cells and Shuttles into Escherichia coli", 1984, Mol. & Cell. Biol., 4:1551-1560 Vidal, et al., "Differences in Human Cell Lines to Support Stable Replication of Epstein-Barr Virus-Based Vectors", 1990, Biochim. Biophys. Acta, 1048:171-177 Yates, et al., "A Cis-Acting Element from the Epstein-Barr Viral Genome That Permits Stable Replication of Recombinant Plasmids in Latently Infected Cells", 1984, Proc. Natl. Acad. Sci., U.S.A., 81:3806-3810 Lutfalla, et al., "Construction of an EBNA-Producing Line of Well-Differentiated Human Hepatoma Cells and of Appropriate Epstein-Barr Virus-Based Shuttle Vectors", 1989, Gene, 76:27-39 Rio, et al., "A Mammalian Host-Vector System That Regulates Expression and Amplification of Transfected Genes by Temperature Induction", 1985, Science, 227:23-28

EXAMINER L K	DATE CONSIDERED 2/20/01
	7

EXAMINER: Initial citation if reference was considered. Draw line through citation if not in conformance to MPEP 609 and not considered. Include copy of this form with next communication to applicant.

0-1449 (Modified)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

·		
ATTY. DOCKET NO. 03659.83112	SERIAL NUMBER 10/043,289	
APPLICANT Mark J. Cooper		
FILING DATE January 14, 2002	GROUP ART UNIT TBD	

U.S. PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT . NUMBER	DATE	NAME	CLASS	SUB CLASS	FILING DATE

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) Chittenden, et al., "Regulated Replication of an Episomal Simian Virus 40 Origin Plasmid in COS7 Cells", 1991, J. Virol., 65:5944-5951 Lusky, et al., "Inhibition of SV40 Replication in Simian Cells by Specific pBR322 DNA sequences", 1981, Nature, 293:79-81 Roberts, et al., "Cis-Acting Negative Control of DNA Replication in Eukaryotic Cells", 1988, Cell, 52:397-404 Mann, et al., "Cross-Reaction of BK Virus Large T Antigen with Monoclonal Antibodies Directed Against SV40 Large T Antigen", 1984, Virology, 138:379-385 Arthur, et al., "Association of BK Viruria with Hemorrhagic Cystitis in Recipients of Bone Marrow Transplants", 1986, N. Engl. J. Med., 315:230-234 Dyson, et al., "Large T Antigens of Many Polyomaviruses are Able to Form Complexes with the Retinoblastoma Protein", 1990, J. Virol., 64:1353-1356 DeCaprio, et al., "SV40 Large Turnor Antigen Forms a Specific Complex with the Product of the Retinoblastoma Susceptibility Gene", 1988, Cell, 54:275-283 Chen, et al., "Identification of a Region of Simian Virus 40 Large T Antigen Required for Cell Transformation", 1990, J. Virol., 64:3350-3357 Chen, et al., "T-Antigen Mutant Activities In Vivo: Roles of p53 and pRB Binding in Tumorigenesis of the Choroid Plexus", 1992, Oncogene, 7:1167-1174 Dalrymple, et al., "BK Virus T Antigens Induce Kidney Carcinomas and Thymoproliferative Disorders in Transgenic Mice", 1990, J. Virol., 64:1182-1191 Nakshatri, et al., "Functional Role of BK Virus Tumor Antigens in Transformation", 1988, J. Virol., 62:4613-4621 Caputo, et al., "Transactivation of BKV and SV40 Early Promoters by BKV and SV40 T-Antigens", 1986, Virology, 152:459-Whitesell, et al., "Episome-Generated N-myc Antisense RNA Restricts the Differentiation Potential of Primitive Neuroectodermal Cell Lines", 1991, Mol. & Cell. Biol., 11:1360-1371

EXAMINER & &	DATE CONSIDERED 2/25/04		
EXAMINER: Initial citation if reference was considered. Draw line through citation if not in conformance to MPEP 609 and not considered. Include copy of this form with next communication to applicant.			

MR 2 6 7012

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

ATTY. DOCKET NO. 03659.83112	SERIAL NUMBER 10/043,289
APPLICANT Mark J. Cooper	

GROUP ART UNIT

TBD

OTHER DOCUMENTS (Including Author Title Date Pertinent Pages Ftc.)

FILING DATE

January 14, 2002

Baker, et al., "Suppression of Human Colorectal Carcinoma Cell Growth by Wild-Type p53", 1990, Science, 249:912-915 Grossi, et al., "New BK Virus Episomal Vector for Complementary DNA Expression in Human Cells", 1988, Arch. Virol., 102:275-283 Pipas, et al., "Mutational Analysis of Simian Virus 40 T Antigen: Isolation and Characterization of Mutants with Deletions in the T-Antigen Gene", 1983, Mol. & Cell. Biol., 2:203-213 Braithwaite, et al., "Mouse p53 Inhibits SV40 Origin-Dependent DNA Replication", 1987, Nature, 329:458-460 Wilcock, et al., "Localization of p53, Retinoblassoma and Host Replication Proteins at Sites of Viral Replication in Herpes-Infected Cells", 1991, Nature, 349:429-431 Yang, et al., "BK Virus DNA: Complete Nucleotide Sequence of a Human Tumor Virus", 1979, Science, 206:456-462 Wintrobe et al., Lea & Febiger 1974, Clinical Hematology, Philadelphia, pp. 16-17, 174-178, 796-805 Muller et al., "Single-Step Induction of Mammary Adenocarcinoma in Transgenic Mice Bearing The Activated e-neu Oncogene", Cell, Vol. 54, pp. 1-11 (1988) Connelly, et al., "The epidermal growth factor receptor and the product of the neu protococogene are members of a receptor tyrosine phosphorylation cascade", Proc. Natl. Acad. Sci. USA Vol. 87, pp. 6054-6057 (1990) Bargmann, et al., "Multiple Independent Activations of the neu Oncogene by a Point Mutation Altering the Transmembrane Domain of p185", Cell. Vol. 45, pp. 649-657 (1986) Renaud et al., "Crystal structure of the RAR-y ligand-binding domain bound to all-trans retinoic acid", Nature, Vol. 378, pp. 681-689 (1995) Laudet, Vincent, et al., "Evolution of the nuclear receptor gene superfamily", The EMBO Journal, Vol. 11, pp. 1003-1013 (1992) Wondrak et al., Biochemistry 1996 Oct 1;35(39):12957-62, "Influence of flanking sequences on the dimer stability of human immunodeficiency virus type 1 protease" SenGupta et al., EMBO J 1994 Feb 15;13(4):982-92, "Strand and face: the topography of interactions between the SV40 origin of replication and T-antigen du		OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
Pipas, et al., "Mutational Analysis of Simian Virus 40 T Antigen: Isolation and Characterization of Mutants with Deletions in the T-Antigen Gene", 1983, Mol. & Cell. Biol., 3:203-213 Braithwaite, et al., "Mouse p53 Inhibits SV40 Origin-Dependent DNA Replication", 1987, Nature, 129:458-460 Wilcock, et al., "Localization of p53, Retinoblastoma and Host Replication Proteins at Sites of Viral Replication in Herpes-Infected Cells", 1991, Nature, 149:429-431 Yang, et al., "BK Virus DNA: Complete Nucleotide Sequence of a Human Tumor Virus", 1979, Science, 206:456-462 Wintrobe et al., Lea & Febiger 1974, Clinical Hematology, Philadelphia, pp. 16-17, 174-178, 796-805 Muller et al., "Single-Step Induction of Mammary Adenocarcinoma in Transgenic Mice Bearing The Activated c-neu Oncogene", Cell, Vol. 54, pp. 1-11 (1988) Connelly, et al., "The epidermal growth factor receptor and the product of the neu protooncogene are members of a receptor tyrosine phosphorylation cascade", Proc. Natl. Acad. Sci. USA Vol. 87, pp. 6054-6057 (1990) Bargmann, et al., "Multiple Independent Activations of the neu Oncogene by a Point Mutation Altering the Transmembrane Domain of p185", Cell, Vol. 45, pp. 649-657 (1986) Renaud et al., "Crystal structure of the RAR-y ligand-binding domain bound to all-trans retinoic acid", Nature, Vol. 378, pp. 681-689 (1995) Laudet, Vincent, et al., "Evolution of the nuclear receptor gene superfamily", The EMBO Journal, Vol. 11, pp. 1003-1013 (1992) Wondrak et al., Biochemistry 1996 Oct 1;35(39):12957-62, "Influence of flanking sequences on the dimer stability of human immunodeficiency virus type 1 protease" SenGupta et al., EMBO J 1994 Feb 15;13(4):982-92, "Strand and face: the topography of interactions between the SV40 origin of replication and T-antigen during the initiation of replication"	V	Baker, et al., "Suppression of Human Colorectal Carcinoma Cell Growth by Wild-Type p53", 1990, Science, 249:912-915
the T-Antigen Gene", 1983, Mol. & Cell. Biol., 3:203-213 Braithwaite, et al., "Mouse p53 Inhibits SV40 Origin-Dependent DNA Replication", 1987, Nature, 329:458-460 Wilcock, et al., "Localization of p53, Retinoblastoma and Host Replication Proteins at Sites of Viral Replication in Herpes-Infected Cells", 1991, Nature, 349:429-431 Yang, et al., "BK Virus DNA: Complete Nucleotide Sequence of a Human Tumor Virus", 1979, Science, 206:456-462 Wintrobe et al., Lea & Febiger 1974, Clinical Hematology, Philadelphia, pp. 16-17, 174-178, 796-805 Muller et al., "Single-Step Induction of Mammary Adenocarcinoma in Transgenic Mice Bearing The Activated c-neu Oncogene", Cell., Vol. 54, pp. 1-11 (1988) Connelly, et al., "The epidermal growth factor receptor and the product of the neu protooncogene are members of a receptor tyrosine phosphorylation cascade", Proc. Natl. Acad. Sci. USA Vol 87, pp. 6054-6057 (1990) Bargmann, et al., "Multiple Independent Activations of the neu Oncogene by a Point Mutation Altering the Transmembrane Domain of p185", Cell., Vol 45, pp. 649-657 (1986) Renaud et al., "Crystal structure of the RAR-y ligand-binding domain bound to all-trans retinoic acid", Nature, Vol. 378, pp. 681-689 (1995) Laudet, Vincent, et al., "Evolution of the nuclear receptor gene superfamily", The EMBO Journal, Vol. 11, pp. 1003-1013 (1992) Wondrak et al., Biochemistry 1996 Oct 1;35(39):12957-62, "Influence of flanking sequences on the dimer stability of human immunodeficiency virus type 1 protease" SenGupta et al., EMBO J 1994 Feb 15;13(4):982-92, "Strand and face: the topography of interactions between the SV40 origin of replication and T-antigen during the initiation of replication" Ray et al., J Virol 1992 Nov;66(11):6509-16, "Functional characterization of temperture-sensitive mutants of simian virus		
Wilcock, et al., "Localization of p53, Retinoblastoma and Host Replication Proteins at Sites of Viral Replication in Herpes- Infected Cells", 1991, Nature, 349:429-431 Yang, et al., "BK Virus DNA: Complete Nucleotide Sequence of a Human Tumor Virus", 1979, Science, 206:456-462 Wintrobe et al., Lea & Febiger 1974, Clinical Hematology, Philadelphia, pp. 16-17, 174-178, 796-805 Muller et al., "Single-Step Induction of Mammary Adenocarcinoma in Transgenic Mice Bearing The Activated c-neu Oncogene", Cell, Vol. 54, pp. 1-11 (1988) Connelly, et al., "The epidermal growth factor receptor and the product of the neu protooncogene are members of a receptor tyrosine phosphorylation cascade", Proc. Natl. Acad. Sci. USA Vol 87, pp. 6054-6057 (1990) Bargmann, et al., "Multiple Independent Activations of the neu Oncogene by a Point Mutation Altering the Transmembrane Domain of p185", Cell, Vol 45, pp. 649-657 (1986) Renaud et al., "Crystal structure of the RAR-y ligand-binding domain bound to all-trans retinoic acid", Nature, Vol. 378, pp. 681-689 (1995) Laudet, Vincent, et al., "Evolution of the nuclear receptor gene superfamily", The EMBO Journal, Vol. 11, pp. 1003-1013 (1992) Wondrak et al., Biochemistry 1996 Oct 1;35(39):12957-62, "Influence of flanking sequences on the dimer stability of human immunodeficiency virus type 1 protease" SenGupta et al., EMBO J 1994 Feb 15;13(4):982-92, "Strand and face: the topography of interactions between the SV40 origin of replication and T-antigen during the initiation of replication" Ray et al., J Virol 1992 Nov;66(11):6509-16, "Functional characterization of temperture-sensitive mutants of simian virus		Pipas, et al., "Mutational Analysis of Simian Virus 40 T Antigen: Isolation and Characterization of Mutants with Deletions in the T-Antigen Gene", 1983, Mol. & Cell. Biol., 3:203-213
Vang, et al., "BK Virus DNA: Complete Nucleotide Sequence of a Human Tumor Virus", 1979, Science, 206:456.462 Wintrobe et al., Lea & Febiger 1974, Clinical Hematology, Philadelphia, pp. 16-17, 174-178, 796-805 Muller et al., "Single-Step Induction of Mammary Adenocarcinoma in Transgenic Mice Bearing The Activated e-neu Oncogene", Cell, Vol. 54, pp. 1-11 (1988) Connelly, et al., "The epidermal growth factor receptor and the product of the neu protooncogene are members of a receptor tyrosine phosphorylation cascade", Proc. Natl. Acad. Sci. USA Vol 87, pp. 6054-6057 (1990) Bargmann, et al., "Multiple Independent Activations of the neu Oncogene by a Point Mutation Altering the Transmembrane Domain of p185", Cell, Vol 45, pp. 649-657 (1986) Renaud et al., "Crystal structure of the RAR-y ligand-binding domain bound to all-trans retinoic acid", Nature, Vol. 378, pp. 681-689 (1995) Laudet, Vincent, et al., "Evolution of the nuclear receptor gene superfamily", The EMBO Journal, Vol. 11, pp. 1003-1013 (1992) Wondrak et al., Biochemistry 1996 Oct 1;35(39):12957-62, "Influence of flanking sequences on the dimer stability of human immunodeficiency virus type 1 protease" SenGupta et al., EMBO J 1994 Feb 15;13(4):982-92, "Strand and face: the topography of interactions between the SV40 origin of replication and T-antigen during the initiation of replication" Ray et al., J Virol 1992 Nov;66(11):6509-16, "Functional characterization of temperture-sensitive mutants of simian virus		Braithwaite, et al., "Mouse p53 Inhibits SV40 Origin-Dependent DNA Replication", 1987, Nature, 329:458-460
Wintrobe et al., Lea & Febiger 1974, Clinical Hematology, Philadelphia, pp. 16-17, 174-178, 796-805 Muller et al., "Single-Step Induction of Mammary Adenocarcinoma in Transgenic Mice Bearing The Activated c-neu Oncogene", Cell, Vol. 54, pp. 1-11 (1988) Connelly, et al., "The epidermal growth factor receptor and the product of the neu protooncogene are members of a receptor tyrosine phosphorylation cascade", Proc. Natl. Acad. Sci. USA Vol 87, pp. 6054-6057 (1990) Bargmann, et al., "Multiple Independent Activations of the neu Oncogene by a Point Mutation Altering the Transmembrane Domain of p185", Cell, Vol 45, pp. 649-657 (1986) Renaud et al., "Crystal structure of the RAR-y ligand-binding domain bound to all-trans retinoic acid", Nature, Vol. 378, pp. 681-689 (1995) Laudet, Vincent, et al., "Evolution of the nuclear receptor gene superfamily", The EMBO Journal, Vol. 11, pp. 1003-1013 (1992) Wondrak et al., Biochemistry 1996 Oct 1;35(39):12957-62, "Influence of flanking sequences on the dimer stability of human immunodeficiency virus type 1 protease" SenGupta et al., EMBO J 1994 Feb 15;13(4):982-92, "Strand and face: the topography of interactions between the SV40 origin of replication and T-antigen during the initiation of replication" Ray et al., J Virol 1992 Nov;66(11):6509-16, "Functional characterization of temperture-sensitive mutants of simian virus		Wilcock, et al., "Localization of p53, Retinoblastoma and Host Replication Proteins at Sites of Viral Replication in Herpes-Infected Cells", 1991, Nature, 349:429-431
Muller et al., "Single-Step Induction of Mammary Adenocarcinoma in Transgenic Mice Bearing The Activated c-neu Oncogene", Cell, Vol. 54, pp. 1-11 (1988) Connelly, et al., "The epidermal growth factor receptor and the product of the neu protooncogene are members of a receptor tyrosine phosphorylation cascade", Proc. Natl. Acad. Sci. USA Vol 87, pp. 6054-6057 (1990) Bargmann, et al., "Multiple Independent Activations of the neu Oncogene by a Point Mutation Altering the Transmembrane Domain of p185", Cell, Vol 45, pp. 649-657 (1986) Renaud et al., "Crystal structure of the RAR-y ligand-binding domain bound to all-trans retinoic acid", Nature, Vol. 378, pp. 681-689 (1995) Laudet, Vincent, et al., "Evolution of the nuclear receptor gene superfamily", The EMBO Journal, Vol. 11, pp. 1003-1013 (1992) Wondrak et al., Biochemistry 1996 Oct 1;35(39):12957-62, "Influence of flanking sequences on the dimer stability of human immunodeficiency virus type 1 protease" SenGupta et al., EMBO J 1994 Feb 15;13(4):982-92, "Strand and face: the topography of interactions between the SV40 origin of replication and T-antigen during the initiation of replication" Ray et al., J Virol 1992 Nov;66(11):6509-16, "Functional characterization of temperture-sensitive mutants of simian virus		Yang, et al., "BK Virus DNA: Complete Nucleotide Sequence of a Human Tumor Virus", 1979, Science, 206:456-462
Oncogene", Cell, Vol. 54, pp. 1-11 (1988) Connelly, et al., "The epidermal growth factor receptor and the product of the neu protooncogene are members of a receptor tyrosine phosphorylation cascade", Proc. Natl. Acad. Sci. USA Vol 87, pp. 6054-6057 (1990) Bargmann, et al., "Multiple Independent Activations of the neu Oncogene by a Point Mutation Altering the Transmembrane Domain of p185", Cell, Vol 45, pp. 649-657 (1986) Renaud et al., "Crystal structure of the RAR-y ligand-binding domain bound to all-trans retinoic acid", Nature, Vol. 378, pp. 681-689 (1995) Laudet, Vincent, et al., "Evolution of the nuclear receptor gene superfamily", The EMBO Journal, Vol. 11, pp. 1003-1013 (1992) Wondrak et al., Biochemistry 1996 Oct 1;35(39):12957-62, "Influence of flanking sequences on the dimer stability of human immunodeficiency virus type 1 protease" SenGupta et al., EMBO J 1994 Feb 15;13(4):982-92, "Strand and face: the topography of interactions between the SV40 origin of replication and T-antigen during the initiation of replication" Ray et al., J Virol 1992 Nov;66(11):6509-16, "Functional characterization of temperture-sensitive mutants of simian virus		Wintrobe et al., Lea & Febiger 1974, Clinical Hematology, Philadelphia, pp. 16-17, 174-178, 796-805
tyrosine phosphorylation cascade", <i>Proc. Natl. Acad. Sci. USA Vol 87</i> , pp. 6054-6057 (1990) Bargmann, et al., "Multiple Independent Activations of the neu Oncogene by a Point Mutation Altering the Transmembrane Domain of p185", <i>Cell, Vol 45</i> , pp. 649-657 (1986) Renaud et al., "Crystal structure of the RAR-y ligand-binding domain bound to all-trans retinoic acid", Nature, Vol. 378, pp. 681-689 (1995) Laudet, Vincent, et al., "Evolution of the nuclear receptor gene superfamily", <i>The EMBO Journal, Vol. 11</i> , pp. 1003-1013 (1992) Wondrak et al., <i>Biochemistry</i> 1996 Oct 1;35(39):12957-62, "Influence of flanking sequences on the dimer stability of human immunodeficiency virus type 1 protease" SenGupta et al., <i>EMBO J</i> 1994 Feb 15;13(4):982-92, "Strand and face: the topography of interactions between the SV40 origin of replication and T-antigen during the initiation of replication" Ray et al., <i>J Virol</i> 1992 Nov;66(11):6509-16, "Functional characterization of temperture-sensitive mutants of simian virus		Muller et al., "Single-Step Induction of Mammary Adenocarcinoma in Transgenic Mice Bearing The Activated c-neu Oncogene", Cell, Vol. 54, pp. 1-11 (1988)
Domain of p185", Cell, Vol 45, pp. 649-657 (1986) Renaud et al., "Crystal structure of the RAR-y ligand-binding domain bound to all-trans retinoic acid", Nature, Vol. 378, pp. 681-689 (1995) Laudet, Vincent, et al., "Evolution of the nuclear receptor gene superfamily", The EMBO Journal, Vol. 11, pp. 1003-1013 (1992) Wondrak et al., Biochemistry 1996 Oct 1;35(39):12957-62, "Influence of flanking sequences on the dimer stability of human immunodeficiency virus type 1 protease" SenGupta et al., EMBO J 1994 Feb 15;13(4):982-92, "Strand and face: the topography of interactions between the SV40 origin of replication and T-antigen during the initiation of replication" Ray et al., J Virol 1992 Nov;66(11):6509-16, "Functional characterization of temperture-sensitive mutants of simian virus		Connelly, et al., "The epidermal growth factor receptor and the product of the neu protooncogene are members of a receptor tyrosine phosphorylation cascade", <i>Proc. Natl. Acad. Sci. USA Vol 87</i> , pp. 6054-6057 (1990)
Laudet, Vincent, et al., "Evolution of the nuclear receptor gene superfamily", The EMBO Journal, Vol. 11, pp. 1003-1013 (1992) Wondrak et al., Biochemistry 1996 Oct 1;35(39):12957-62, "Influence of flanking sequences on the dimer stability of human immunodeficiency virus type 1 protease" SenGupta et al., EMBO J 1994 Feb 15;13(4):982-92, "Strand and face: the topography of interactions between the SV40 origin of replication and T-antigen during the initiation of replication" Ray et al., J Virol 1992 Nov;66(11):6509-16, "Functional characterization of temperture-sensitive mutants of simian virus		Bargmann, et al., "Multiple Independent Activations of the neu Oncogene by a Point Mutation Altering the Transmembrane Domain of p185", Cell, Vol 45, pp. 649-657 (1986)
Wondrak et al., Biochemistry 1996 Oct 1;35(39):12957-62, "Influence of flanking sequences on the dimer stability of human immunodeficiency virus type 1 protease" SenGupta et al., EMBO J 1994 Feb 15;13(4):982-92, "Strand and face: the topography of interactions between the SV40 origin of replication and T-antigen during the initiation of replication" Ray et al., J Virol 1992 Nov;66(11):6509-16, "Functional characterization of temperture-sensitive mutants of simian virus		Renaud et al., "Crystal structure of the RAR-γ ligand-binding domain bound to all-trans retinoic acid", Nature, Vol. 378, pp. 681-689 (1995)
SenGupta et al., EMBO J 1994 Feb 15;13(4):982-92, "Strand and face: the topography of interactions between the SV40 origin of replication and T-antigen during the initiation of replication" Ray et al., J Virol 1992 Nov;66(11):6509-16, "Functional characterization of temperture-sensitive mutants of simian virus		Laudet, Vincent, et al., "Evolution of the nuclear receptor gene superfamily", <i>The EMBO Journal, Vol. 11</i> , pp. 1003-1013 (1992)
SenGupta et al., EMBO J 1994 Feb 15;13(4):982-92, "Strand and face: the topography of interactions between the SV40 origin of replication and T-antigen during the initiation of replication" Ray et al., J Virol 1992 Nov;66(11):6509-16, "Functional characterization of temperture-sensitive mutants of simian virus		Wondrak et al., Biochemistry 1996 Oct 1;35(39):12957-62, "Influence of flanking sequences on the dimer stability of human immunodeficiency virus type 1 protease"
Ray et al., J Virol 1992 Nov;66(11):6509-16, "Functional characterization of temperture-sensitive mutants of simian virus 40 large T antigen"		SenGupta et al., EMBO J 1994 Feb 15;13(4):982-92, "Strand and face: the topography of interactions between the SV40 origin of replication and T-antigen during the initiation of replication"
	V	Ray et al., J Virol 1992 Nov;66(11):6509-16, "Functional characterization of temperture-sensitive mutants of simian virus 40 large T antigen"

EXAMINER	LEL-	DATE CONSIDERED 2/20/as	
EXAMINER: Initial citation if reference was considered. Draw line through citation if not in conformance to MPEP 609 and not considered.			

Include copy of this form with next communication to applicant.